

FIREWORKS BUSINESS LICENSE APPLICATION



Required Inspection Checklist

Name of Firework Stand/Tent: _____

Physical Address of Stand/Tent: _____

Name of Owner/Manager: _____

Phone Number of Owner/Manager: _____

Date of Inspection: _____ Time of Inspection: _____

Date of Re-Inspection: _____ Time of Re-Inspection: _____

Location: No vendor shall be permitted to operate in the following areas:

- ☐ Within an R (Residential) Zoning district.
- ☐ Within 50' of any street intersection or pedestrian crosswalk.
- ☐ Within 50' of any driveway, loading zone or bus stop.
- ☐ Within 50' of a building entrance.
- ☐ On the median strip of a divided roadway unless the strip is intended for use as a pedestrian mall or plaza.
- ☐ Against display windows of a fixed location business.
- ☐ Within 100' of a hospital, college, university, elementary school, middle school or high school.
- ☐ Within 50' of any fire hydrant or fire escape.
- ☐ Within 50' of any parking space or access ramp designated for persons with disabilities.

Review Criteria:

Sketch plan must be provided with application

- ☐ Fireworks may not be stored or sold in a permanent structure.
- ☐ Electrical service to include meter bases, electrical panels and supply cord plugs to a power source are not permitted within 20 feet of the stand/tent.
- ☐ Generators or other internal combustion power sources shall be separated not less than 20 feet from tents and canopies.
- ☐ Every firework stand shall have not less than 2 fire extinguishers with a minimum rating of 2A, at least one of which shall be of the pressurized water type.
- ☐ Open flame or other devices emitting flame, fire or heater any flammable or combustible liquids, gas, charcoal or other cooking device or any other unapproved devices shall not be permitted inside or located within 20 feet of the tent or canopy.

FIREWORKS BUSINESS LICENSE APPLICATION



- ☐ Signage – A sign shall be conspicuously posted which states: “NO SMOKING! FIREWORKS SHALL NOT BE IGNITED, DISCHARGED OR OTHERWISE USED WITHIN 300 FEET OF THIS FACILITY”
- ☐ Clearance – There shall be a minimum of three feet between the fabric envelope and all contents located inside the tent structure.
- ☐ Exits shall be spaced at approximately equal intervals around the perimeter of the tent or canopy, and shall be located such that all points are 100 feet or less from an exit.
- ☐ Tents or canopies shall have at least 2 exits; the width of each exit shall not be less than 48 inches.
- ☐ The required width of exits, aisles and pass ways shall be maintained at all-time to a public way. Guy wires, guy ropes, and other support members shall not cross a means of egress at a height of less than 8 feet. The surface of means of egress shall be maintained in an approved manner.
- ☐ Tents and canopies shall have a permanently affixed label bearing the identification of size and fabric or material type
- ☐ Tents or canopies shall be composed of material meeting the flame propagation performance criteria of NFPA 701 or shall be flame retardant in an approved manner and meet the flame propagation performance of NFPA 701

The following apply per the NFPA 101, Life Safety Code:

- ☐ Setbacks shall be 20' from buildings, 30' from combustibles and 10' from parking area.
- ☐ Electrical shall meet National Electrical Code. No open connections or spliced wires.
- ☐ No motor vehicle or trailer used for storage of product closer than 10'.
- ☐ 30' around tent to be clear of dry grass, brush and debris.
- ☐ Must post sign with 4" letters "No Fireworks Discharge Within 300'.
- ☐ Must post evacuation plan.
- ☐ Entrance power cord must be protected with conduit.
- ☐ Generators must be at least 20' away from tent.
- ☐ Fuel must be at least 20' away from tent
- ☐ Site plan is required showing all setbacks.
- ☐ Display area or table tops must break every 16'.

The following apply per City of Tontitown Ordinance:

- ☐ Tent cannot be within 150' of any fuelling area.
- ☐ Tent must be 50' from driveway, fire hydrant, and all buildings.
- ☐ Tent must be 300' from all other stands or tents.

FIREWORKS BUSINESS LICENSE APPLICATION



The following apply per Washington County Fire Marshall:

- ☐ Must have two 5 lb. fire extinguishers. One must be pressurized water.
- ☐ Must post sign: "Fireworks No Smoking".
- ☐ Must have an exit every 35', minimum of two 48" wide.
- ☐ If you live on site, tent must be 50' from residence.
- ☐ Isles inside tent must be 48" clear of obstructions.
- ☐ Must be 100' from any gas station.

Hours of Operation: 7 a.m. to 12 p.m.

Littering and Trash Removal:

- ☐ The vendor is responsible for maintaining the area within 20' of the stand or cart.
- ☐ Food vendors must provide a trash receptacle.

Prohibited Conduct: No person authorized to engage in the business of vending under these regulations shall do any of the following:

- ☐ Obstruct pedestrian or motor vehicle traffic flow.
- ☐ Obstruct traffic signals or regulatory signs.
- ☐ Leave any conveyance unattended or leave such conveyance in a public way overnight.
- ☐ Use any conveyance that cannot be easily moved and maintained under control by the vendor.
- ☐ Sound any device that produces a loud and raucous noise to attract public attention.
- ☐ Conduct his business in such a way as would restrict or interfere with the ingress or egress of the abutting property owner or tenant, create a nuisance, increase traffic congestion or delay, constitute a hazard to traffic, life or property, or obstruct adequate access to emergency and sanitation vehicles.

Code Enforcement Signature: _____ **Date:** _____

Owner/Manager Signature: _____ **Date:** _____